



Ürün Katalođu 2026

Intouch bir Aktek Teknoloji markasıdır.

Biz Kimiz?


Şirketimiz 1990 yılında araç telefonlarının satış, aksesuar, montaj ve teknik servis hizmetlerini vererek telekomünikasyon sektörüne adım atmıştır.

1994 yılında ülkemizde teknolojiye yeni bir çığır açan ve GSM sektörünün kurucusu olan Turkcell İletişim Hizmetleri A.Ş. ile birlikte, GSM sektörünün ilk hat açan, kuruluşundan itibaren önemli bir parçası olmuştur.

33 yıllık perakende ve ithalat tecrübemizle birlikte ürün satış, ürün seçimi, ürün fiyat performansı ve tüketici taleplerinin en iyi şekilde analiz edilmesi konusunda sektörün öncü firmasıyız.

Ayrıca 2021 Eylül ayı itibariyle tam otomasyona ve Avrupa birliği standartlarına (CE) uygun fabrikamızın açılışını yaparak, ürünlerimizin %100 yerli ve milli olması sağladık ve bu sektörde hem perakende, hem toptan dağıtım, hem de üretim yapan tek firmayız.





Ne Yapıyoruz?

Sektörde bir çok ilke imza atmış şirketimiz taleplere ve gelişimine paralel olarak 2004 yılında kendi markamız INTOUCH altındaki, geniş ürün yelpazesi, proje, satış ve sonrası hizmetlerini, en üst düzeyde katma değer ve müşteri memnuniyeti hedefiyle sürdürmektedir.

2021 yılında kurulan fabrikamız ile birlikte Turkcell İletişim Merkezi mağazalarımızda ve çeşitli platformlarda (Amazon, Trendyol, HepsiBurada), Intouch markamızla operasyonumuza devam etmekteyiz.



Powerbank Station

PD+QC 1800W

YENİ
ÜRÜN



Product overview



Product Parameters

	US	EU / FR / AU / ZA / UK	JP
Battery Type	Lithium iron phosphate battery (LiFePO ₄)		
Battery Capacity	1024Wh, 51.2V, 20Ah		
Cycle Life	4000 Cycles		
Wi-Fi	supported		
USB-A1+A2 Output	5V/2.4A, 12W Max.		
USB-C1/C2 Output	5/9V 3A, 12V/2.5A, 15V/2A, 20V/1.5A, 30W Max.		
USB-C3/C4 Output	5/9/12/15V 3A, 20V/5A, 28V/5A, 140W Max.		
Car charge Output	12.6V/10A, 126W Max.		
Car charge Output+XT60 output	12.6V/30A, 378W Max.		
Wireless charging	25W Max.		
Total DC output power	500W Max.		
AC Output (Inverter mode)	Pure sine-wave, total 1800W (peak 3000W), 100-120V~, 60Hz, 18A Max. *4	Pure sine-wave, total 1800W (peak 3000W), 220-240V~, 50Hz/60Hz, 9A Max. *4	Pure sine-wave, total 1500W (peak 3000W), 100V~, 50Hz/60Hz, 18A Max. *4
AC Output (Bypass mode)	100-120V~, 60Hz, 1440W Max., 12A Max.	220-240V~, 50Hz/60Hz, 1800W Max., 9A Max.	90-110V~, 50Hz/60Hz, 15A Max., 1500W
AC input power	1440W Max., 12A	2200W Max., 10A	1500W, 15A
AC input voltage	100-120V~, 60Hz	220-240V~, 50Hz/60Hz	90-110V~, 50Hz/60Hz
Car charging input	12V/24V battery supported, 8A by default		
PV charge input	800W Max, 11-60V, 20A		
AC charging power(Fast charging)	1400W Max.	1500W Max.	1500W Max.
AC charging power(Slow charging)	300W		
PV/Car charging power	800W Max.		
AC+PV charging power	1500W Max.		
Weight	11.6kg		
Dimensions (W*H*D)	350*224*260mm(13.8*8.8*10.2in)		
Battery Expansion	614Wh/ 2560Wh, support 6 expansion battery packs at most		
Temperature Range	Discharge :-20°C-45°C Charge: 0°C-45°C		
Certification	 CA65, TSCA, RoHS, Reach, WEEE, POPS, UN38.3, MSDS		

Model No: IN-PS050

Powerbank Station Wireless 300W EU



Product overview



Product Parameters

	US	EU/FR/AU/ZA/UK	JP
Battery Type	Cylindrical Steel-Cased LiFePO ₄ Cell		
Battery Capacity	256Wh, 12.8V, 20Ah		
Cycle Life	4000 Cycles		
Wi-Fi	supported		
USB-A1 Output	5V/2.4A, 12W Max.		
USB-C1/C2 Output	5V/3A, 9V/2.22A, 20W Max.		
USB-C3 Output	5V/9V/12V/15V 3A, 20V/3.25A, 65W Max.		
Car charge Output	12.6V/10A, 126W Max.		
Wireless charging	25W Max.		
AC Output(Inverter mode)	Pure sine-wave, total 300W, 100-120V~, 60Hz, 3A Max.*3	Pure sine-wave, total 300W, 220-240V~, 50Hz/60Hz, 1.5A Max.*2	Pure sine-wave, total 300W, 100V~, 50/60Hz, 3A Max.*3
AC Output(Bypass mode)	100-120V~, 60Hz, 300W Max., 3A Max.	220-240V~, 50Hz/60Hz, 300W Max., 1.5A Max.	100-120V~, 50Hz/60Hz, 3A Max., 300W
AC input power	550W Max., 6A	550W Max., 3A	550W Max., 6A
AC input voltage	100-120V~, 60Hz	220-240V~, 50Hz/60Hz	100-120V~, 50Hz/60Hz
Car charging Input	12V battery supported, 4A by default		
PV charge	120W Max, 15-36V, 9A		
AC charging power	250W		
PV charging power	140W Max.		
Car charging Input	36W Max.		
AC+PV charging power	250W Max.		
Weight	3.5kg		
Dimensions (W*H*D)	162*219*135mm(6.4*8.6*5.3in)		
Temperature Range	Discharge :-20°C-45°C		Charge: 0°C-45°C
Certification			
	CA65, TSCA, RoHS, Reach, WEEE, POPS, UN38.3, MSDS		
	Cycle Life*: Test conditions: 95%DOD, 0.5C charge & discharge at +25°C±		3°C, 70%SOH.

Model No: IN-PS060

Powerbank Station

PD+QC 75000mAh



Teknik Özellikler

- Pili: Lithium Ion Polymer Cell 75000mAh 3.2V 240Wh
- Giriş: Type-C1/C2: 5V ~ 3A, 9V ~ 3A, 12V ~ 3A, 15V ~ 3A, 20V ~ 5A, 28V ~ 5A(140W Max)
Type-C1/C2: 280W(140W+140W) Max
XT60 (MPPT): 11V ~ 30V(120W Max)
- Çıkış: Type-C1/C2: 5V ~ 3A, 9V ~ 3A, 12V ~ 3A, 15V ~ 3A, 20V ~ 5A, 28V ~ 5A(140W Max)
Type-C3: 5V ~ 3A, 9V ~ 3A, 12V ~ 2.5A (30W Max)
USB-A: QC18W
DC: 12V/24V 120W Max
Car: 12V ~ 10A, 120W Max
Total Output: 300W Max
LED: 5V ~ 1A(5W Max)

Model No: IN-PS040



Fast
Charging

S.O.S
Function Lamp



SAFE &
RELIABLE



OK
IN FLIGHT

Powerbank Station

PD+QC 62000mAh



Bring light during power outages and at night

Illuminate the night and provide long-lasting power

Teknik Özellikler ■

- Pili: Lithium Ion Polymer Cell 62000mAh 198.4Wh
LED: 3000mAh/3.7V11.1/Li-ion Polymer
- Giriş: Type-C1/C2: 5V ~ 3A, 9V ~ 2A, 12V ~ 3A, 15V ~ 3A, 20V ~ 4A(80W Max)
- Çıkış: Type-C1/C2: 5V ~ 3A, 9V ~ 2A, 12V ~ 3A, 15V ~ 3A, 20V ~ 5A(100W Max)
USB-A1/A2: QC18W
LED: 5V ~ 1A(5W Max)

Model No: IN-PS030



S.O.S
Function Lamp



MagSafe Fast Charging Powerbank

PD 20W 50000mAh



Teknik Özellikler ■

- Pili: Lithium Polymer Cell 5000mAh 5*3.85= 19.25Wh
- Giriş: Type-C: 5V ~ 3A, 9V ~ 2A
Type-C: 5V ~ 3A, 9V ~ 2.22A, 12V ~ 1.67A
- Çıkış: Wireless Output Area to Charge Phone: 15W, 10W, 7.5W, 5W
Wireless Output Area to Charge Earbuds: 1W
Wireless Output Area to Charge iWatch: 2.5W

Model No: IN-PRE005



MagSafe Fast Charging
PD Quick Charge



TFT
Smart
Screen



Premium Ultra Fast Charging Powerbank

PD 55W 10000mAh



Teknik Özellikler ■

- Pili: Lithium Ion Cell 10000mAh 37Wh
- Giriş: USB-C1/2: 5V ~ 3A, 9V ~ 3A, 12V ~ 3A, 15V ~ 3A, 20V ~ 2.25A
- Çıkış: USB-C1/2: 5V ~ 3A, 9V ~ 3A, 12V ~ 3A, 15V ~ 3A, 20V ~ 2.25A, 11V ~ 5A
USB-A: 5V ~ 3A, 9V ~ 2A, 10V ~ 2.25A, 12V ~ 1.5A
USB-C1+C2: 5V ~ 3A, 55W max

Model No: IN-PRE010




PD Quick Charge

Dual Type-C ports
Can charge up to 3 devices simultaneously

55w PD

Ultra Fast Charge



TFT
Smart
Screen




Premium Ultra Fast Charging Powerbank

PD 130W 20000mAh



YENİ
ÜRÜN



Teknik Özellikler ■

- 🔋 PİL: Lithium Ion Cell 20000mAh 74Wh
- 🔌 Giriş: USB-C1/2: 5V~3A, 9V~3A, 12V~3A, 15V~3A, 20V~3.25A, 65W max
- 🔌 Çıkış: USB-C1/2: 5V~3A, 9V~3A, 12V~3A, 15V~3A, 20V~5A, 100W max
USB-A: 5V~3A, 9V~3A, 10V~2.25A, 12V~2.5A
USB-C1/2+A: 20V~5A + 12V~2.5A, 130W max
USB-C1+2+A: 5V~3A + 12V~2.5A, 45W max
USB-C1+C2: 5V/3A, 15W max

Model No: IN-PRE020



Ultra
Fast
Charging

130W PD
Ultra Fast Charge

TFT
Smart
Screen






Magnetic Fast Charging Powerbank

PD 15W 5000mAh



Teknik Özellikler ■

-  Pil: Lithium Polymer Cell 5000mAh 3.85V/19.25Wh
-  Giriş: Type-C: 5V ~ 3A, 9V ~ 2A
-  Çıkış: Type-C: 5V ~ 3A, 9V ~ 2.22A, 12V ~ 1.67A
- Wireless: 2.5W, 5W, 7.5W, 10W, 15W

Model No: IN-MG012



MagSafe Fast Charging
PD Quick Charge



TFT
Smart
Screen



Magnetic Fast Charging Powerbank

PD 15W 10000mAh



Teknik Özellikler ■

- Pili: Lithium Polymer Cell 10000mAh 3.85V/38.5Wh
- Giriş: Type-C: 5V ~ 3A, 9V ~ 2A
- Çıkış: Type-C: 5V ~ 3A, 9V ~ 2.22A, 12V ~ 1.67A
Wireless: 2.5W, 5W, 7.5W, 10W, 15W

- Siyah
Model No: IN-MG009
- Beyaz
Model No: IN-MG010
- Turuncu
Model No: IN-MG011



MagSafe Fast Charging
PD Quick Charge



TFT
Smart
Screen



Camping Lamp Kablolu Powerbank

PD 22.5W 20000mAh



Teknik Özellikler ■

- Pil: Lithium Polymer Cell 20000mAh 74Wh
- Giriş: Type-C: 5V ~ 3A, 9V ~ 2A, 12V ~ 1.5A
USB-A: 5V ~ 3A, 9V ~ 2A, 12V ~ 1.5A
- Çıkış: Type-C: 5V ~ 3A, 9V ~ 2.22A, 12V ~ 1.67A
Type-C Kablo: 5V ~ 2A, 9V ~ 2A, 12V ~ 1.5A
Lightning Kablo: 5V ~ 2.4A

Model No: IN-LP020



S.O.S
Function Lamp



Camping Lamp 4 Kablolu Powerbank

PD 22.5W 30000mAh



Teknik Özellikler ■

- Pil: Lithium Polymer Cell 30000mAh 111Wh
- Giriş: Type-C: 5V ~ 3A, 9V ~ 2A, 12V ~ 1.5A
Lightning: 5V ~ 2A
USB Cable: 5V ~ 2A
- Çıkış: USB-A 1/2: 5V ~ 3A, 9V ~ 2A, 12V ~ 1.5A
Type-C: 5V ~ 3A, 9V ~ 2.22A, 12V ~ 1.67A
Type-C Cable: 5V ~ 3A, 9V ~ 2A, 12V ~ 1.5A
Lightning Cable: 5V ~ 2.4A
Micro USB Cable: 5V ~ 2A

Model No: IN-LP030



Mini 2 Kablolu Powerbank

PD 22.5W 10000mAh



Teknik Özellikler ■

- Pil: Lithium Polymer Cell 10000mAh 38.5Wh
- Giriş: Type-C: 5V/3A, 9V/2A
Micro USB: 5V/2A
- Çıkış: USB: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A
Lightning cable: 5V/2A
Type-C Cable: 5V/3A, 9V/2.22A, 12V/1.67A

Model No: IN-MCL010

2 CABLE

TYPE-C

LIGHTNING

Fast
Charging

SAFE &
RELIABLE

OK
IN FLIGHT

Mini 2 Kablolu Powerbank

PD 22.5W 20000mAh



Teknik Özellikler ■

- Pil: Lithium Polymer Cell 20000mAh 77Wh
- Giriş: Type-C: 5V/3A, 9V/2A
Micro USB: 5V/2A
- Çıkış: USB: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A
Lightning cable: 5V/2A
Type-C Cable: 5V/3A, 9V/2.22A, 12V/1.67A

Model No: IN-MCL020

2 CABLE

TYPE-C

LIGHTNING

Fast
Charging

SAFE &
RELIABLE

OK
IN FLIGHT

Mini 2 Kablolu Electronic Painting Powerbank

PD 20W 10000mAh



Teknik Özellikler ■

- Pil: Lithium Polymer Cell 10000mAh 38.5Wh
- Giriş: Type-C: 5V/3A, 9V/2A
- Çıkış: Type-C: 5V/3A, 9V/2.22A, 12V/1.67A
Lightning cable: 5V/2A
Type-C Cable: 5V/3A, 9V/2A

Model No: IN-EP010

2 CABLE

TYPE-C

LIGHTNING

Fast
Charging

SAFE &
RELIABLE

OK
IN FLIGHT


Dual-Port Powerbank 10000mAh



Teknik Özellikler ■

- Pil: Lithium Polymer Cell 10000mAh 37Wh
- Giriş: Type-C: 5V/2A
Micro USB: 5V/2A
- Çıkış: USB-A 1: 5V/2A
USB-A 2: 5V/2A

Model No: IN-ST010



Quick 4 Cable Powerbank

PD 22.5W 10000mAh



Teknik Özellikler ■

- Pil: Lithium Polymer Cell 10000mAh 37Wh
- Giriş: Type-C: 5V ~ 3A, 9V ~ 2A, 12V ~ 1.5A
Type-C Kablo: 5V ~ 3A, 9V ~ 2A, 12V ~ 1.5A (Max 18W)
USB-A Kablo: 5V ~ 3A, 9V ~ 2A, 12V ~ 1.5A (Max 18W)
- Çıkış: Type-C: 5V ~ 3A, 9V ~ 2.22A, 12V ~ 1.67A (Max 22W)
Type-C Kablo: 5V ~ 3A, 9V ~ 2.22A, 12V ~ 1.67A (Max 22W)
Lightning Kablo: 5V ~ 3A, 9V ~ 2.22A, 12V ~ 1.67A (Max 20W)
Micro Kablo: 5V ~ 2A (Max 10W)
USB-A Kablo: 5V ~ 3A, 9V ~ 2A, 12V ~ 1.5A (Max 22.5W)

- Siyah ●
Model No: IN-0009FS
- Kırmızı ●
Model No: IN-0009FK
- Mavi ●
Model No: IN-0009FM
- Turuncu ●
Model No: IN-0009MD



Prime 4 Cable Powerbank

10000mAh



Teknik Özellikler

- Micro USB Input: 5V/2A
- USB output: 5V/2A
- USB Cable input: 5V/2A
- Micro USB Cable output: 5V/2A
- Type C Cable output: 5V/2A
- Lightning Cable output: 5V/1A
- LED Display to indicate battery capacity: Show 0% - 100% corresponding to battery capacity of 0%-100%

Siyah ●
Model No: IN-0009CL

Kırmızı ●
Model No: IN-0010CL

Mavi ●
Model No: IN-0011CL



Prime 4 Cable Powerbank

20000mAh



Teknik Özellikler

- Micro USB Input: 5V/2A
- USB output: 5V/2A
- USB Cable input: 5V/2A
- Micro USB Cable output: 5V/2A
- Type C Cable output: 5V/2A
- Lightning Cable output: 5V/1A
- LED Display to indicate battery capacity: Show 0% - 100% corresponding to battery capacity of 0%-100%

Siyah ●
Model No: IN-0020CLS

Kırmızı ●
Model No: IN-0021CLK



Carbon Powerbank 10000mAh



Teknik Özellikler ■

- USB A Output: 4.5V/5A, 5V/3A, 9V/2A, 12V/1.5A

(*Notes: If USB A and USB C are used together, the maximum power will be 5V/3A in total)

- Type C Input: 5V/3A, 9V/2A

- Type C Output: 5V/3A, 9V/2.22A, 12V/1.67A

Model No: IN-0037AL



POWER DELIVERY
PD TECHNOLOGY

Carbon Powerbank 20000mAh



Teknik Özellikler ■

- USB A Output: 4.5V/5A, 5V/3A, 9V/2A, 12V/1.5A

(*Notes: If USB A and USB C are used together, the maximum power will be 5V/3A in total)

- Type C Input: 5V/3A, 9V/2A

- Type C Output: 5V/3A, 9V/2.22A, 12V/1.67A

Model No: IN-0038AL

Magnetic Wireless + Type-C/Lightning Cable Powerbank 10000mAh

YENİ
ÜRÜN



Teknik Özellikler

- Capacity: 10000mAh/ 38.5Wh
- Battery type: Li-Polymer *2 piece
- Type-C input: PD18W-(DC 5V/3A,9V/2A,12V/1.5A)
- Type-C output: PD18W-(DC 5V/3A,9V/2A,12V/1.5A)
- Cable output: Lightning: DC 5V/2.4A
- Type-C: PD18W-(DC 5V/3A,9V/2A,12V/1.5A)
- Wireless output: 5W,7.5W,10W,15W max.
- Total Output: DC 5V/3A max.

Model No: IN-0029MGG



Qualcomm
quick charge 3.0
15W

10.000mAh

POWER + PD

POWER DELIVERY
PD TECHNOLOGY
PD 18W



 TWS Kulaklık



Sound Blast

True Wireless Stereo Kulaklık


YENİ
ÜRÜNYENİ
ÜRÜN

Teknik Özellikler ■

- Bluetooth version: 5.3
- Bluetooth range: $\geq 10m$
- Frequency response: 20Hz~20KHz
- Music playback time: About 5 hours
- Voice call playback time: About 4 hours
- Time with the charging case: 16~20 hours
- Earbud battery capacity: 30mAh
- Charging case battery capacity: 250mAh
- Charging case rated input: 5V \approx 1A
- Charging time (earbud): About 1.5 hours
- Charging time (case): About 2 hours
- Charge connector: Type-C

Siyah ●
Model No: SOUND BLAST B

Beyaz ○
Model No: SOUND BLAST W

Magnetic
ChargingAuto
PairingLightweight
DesignBluetooth
5.3

for iOS | Android

Onno Air Pro 2

True Wireless Stereo Kulaklık

YENİ
ÜRÜN



Teknik Özellikler ■

- Bluetooth version: 5.3
- Bluetooth range: $\geq 10m$
- Frequency response: 20Hz~20KHz
- Music playback time: About 5 hours
- Voice call playback time: About 4 hours
- Time with the charging case: 16~20 hours
- Earbud battery capacity: 30mAh
- Charging case battery capacity: 250mAh
- Charging case rated input: 5V \approx 1A
- Charging time (earbud): About 1.5 hours
- Charging time (case): About 2 hours
- Charge connector: Type-C

Model No: ONNO AIR PRO 2



Magnetic
Charging



Auto
Pairing



Lightweight
Design



Bluetooth
5.3



Wireless
Charging Case



Dual-mic ENC

for iOS | ANDROID



 Kulak İçi Kulaklık

Essential Pro

In-Ear Stereo Bluetooth Necklace Kulaklık





Teknik Özellikler ■

- 🔌 Bluetooth Version: 5.0
- 🔌 Frekans: 32Ω
- 🔌 Charge Case battery: 300mAh
- 🔌 Charging Time: 1.5 hours
- 🔌 Playing Time: 10 hours
- 🔌 Talking Time: 12 hours

Siyah ●
Model No: IN-2007EW

Beyaz ○
Model No: IN-2008EB



Magnetic storage



for iOS | Android

Sense

Stereo Wired Kulaklık



Teknik Özellikler ■

- Frekans: 32Ω
- Plug Type: 3.5mm
- Line Length: 110mm
- Drive: 10mm

Siyah ●
Model No: IN-SE501S

Beyaz ○
Model No: IN-SE501B



Compatible
All Devices



Light and
Comfortable



AUX
3.5mm



Clear
Sound

for iOS |  ANDROID

Kulak İçi Kulaklık

Stereo Wired Kulaklık



Teknik Özellikler ■

- Frekans: 32Ω
- Plug Type: 3.5mm
- Line Length: 110mm
- Drive: 10mm

Siyah ●
Model No: IN-SE301S

Beyaz ○
Model No: IN-SE301B

Kırmızı ●
Model No: IN-SE301K



Compatible
All Devices



Light and
Comfortable



AUX
3.5mm



Clear
Sound

for iOS |  ANDROID

Şarj Grubu



GaN Teknoloji 2PD + USB Hızlı Seyahat Şarj Cihazı

120W 2 Type-C + USB

GaN

YENİ
ÜRÜN

Teknik Özellikler ■

Type-C1/C2: 5V ⇌ 3A, 9V ⇌ 3A, 12V ⇌ 3A, 15V ⇌ 3A, 20V ⇌ 5A PD100W; PPS 5V-21V ⇌ 5A
USB-A: 5V ⇌ 3A, 9V ⇌ 3A, 12V ⇌ 2.5A, 20V ⇌ 1.5A (Max 30W)

Model No: IN-PCH120

TFT
Smart
Screen

Ultra
Fast
Charging

+ POWER DELIVERY
PD TECHNOLOGY

for iOS | ANDROID

GaN Teknoloji 2PD + USB Hızlı Seyahat Şarj Cihazı

100W 2 Type-C + USB



Teknik Özellikler ■

- Type-C1: 5V ~ 3A, 9V ~ 3A, 12V ~ 3A, 15V ~ 3A, 20V ~ 5A
- Type-C2: 5V ~ 3A, 9V ~ 2.22A
- USB-A: 5V ~ 3A, 9V ~ 3A

Siyah ●
Model No: IN-PCH130

Beyaz ○
Model No: IN-PCH140



for iOS | Android

GaN Teknoloji Kablolu Hızlı Seyahat Şarj Cihazı

65W Wireless 2 Type-C + USB



Teknik Özellikler ■

- Toplam Çıkış : 65W Max
- Giriş: 110-240V-50/60Hz 1.5A
- Çıkış: Type-C1Cable/C2: 5V ~ 3A, 9V ~ 3A, 12V ~ 3A, 15V ~ 3A, 20V ~ 3.25A
USB-A: Type-C1: 5V ~ 3A, 9V ~ 3A, 12V ~ 2.5A
Wireless: 2W

Model No: IN-PCH170



for iOS | Android

GaN Teknoloji Kablolu Hızlı Seyahat Şarj Cihazı

65W 2 Type-C + USB



Teknik Özellikler ■

- Toplam Çıkış : 65W Max
- Giriş: 110-240V-50/60Hz 1.5A
- Çıkış: Type-C1Cable/C2: 5V ~ 3A, 9V ~ 3A, 12V ~ 3A, 15V ~ 3A, 20V ~ 3.25A
USB-A: Type-C1: 5V ~ 3A, 9V ~ 3A, 12V ~ 2.5A

Model No: IN-PCH160



for iOS | Android

GaN Teknoloji Dual PD Hızlı Seyahat Şarj Cihazı

65W 2 Type-C



Teknik Özellikler

- Input: AC 100-240V 50/60Hz
- Output (Type-C1 - Type-C2): 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-3A
- PPS: 3.3-20V=3A (QC2.0) 5V-3A, 9V-3A, 12V-3A (QC3.0) 20V-3A
- Output (Type-C1): 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-2.25A
- PPS: 3.3-20V=2.2A (QC1.0) 5V-3A
- Output (Type-C2): 5V-3A, 9V-2.22A, 12V-1.66A
- PPS: 3.3-11V=1.8A (QC2.0) 5V-3A, 9V-2.22A, 12V-1.66A (QC3.0) 12V-1.66A
- (Type-C1) + (Type-C2) : 45W + 20W (65W Max)

Model No: IN-GN136



+ POWER DELIVERY
PD TECHNOLOGY

for iOS | ANDROID

GaN Teknoloji Dual PD Hızlı Seyahat Şarj Cihazı

45W 2 Type-C

GaN

YENİ
ÜRÜN

Teknik Özellikler

- Input: AC 100-240V 50/60Hz
- Output (Type-C1 - Type-C2): 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-2.25A
- PPS: 3.3-20V=2A (QC2.0) 5V-3A, 9V-3A, 12V-3A (QC3.0) 12V-3A
- Output (Type-C1): 5V-3A, 9V-2.5A, 12V-1.87A, 15V-1.5A, 20V-1.12A
- PPS: 3.3-11V=2.2A (QC1.0) 5V-3A
- Output (Type-C2): 5V-3A, 9V-2.5A, 12V-1.87A, 15V-1.5A, 20V-1.12A
- PPS: 3.3-11V=2.2A
- (Type-C1) + (Type-C2) : 22.5W + 22.5W (45W Max)

Model No: IN-GN134



+ POWER DELIVERY
PD TECHNOLOGY

for iOS | ANDROID

GaN Teknoloji PD Hızlı Seyahat Şarj Cihazı

65W Type-C

GaN

YENİ
ÜRÜN

Teknik Özellikler

- 65W GaN Technology PD Fast Charger
- Quick Charge Standards: PD3.0 (PPS), QC4.0+, QC3.0, QC2.0, DCP, FCP, AFC, BC1.2, Apple2.4A
- Input: 100V-240VAC, 50/60Hz, 1.6A
- Output: PPS: 3.3V-20V-3A, PD3.0: 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-3.25A (Max 65W)

Model No: IN-GN135



POWER DELIVERY
PD TECHNOLOGY

for iOS | ANDROID

GaN Teknoloji PD Hızlı Seyahat Şarj Cihazı

45W Type-C

GaN

YENİ
ÜRÜN

Teknik Özellikler

- 45W GaN Fast Charger
- Quick Charge Standards: PD3.0 (PPS), QC4.0+, QC3.0, QC2.0, DCP, FCP, AFC, BC1.2, Apple2.4A
- Input: 100V-240VAC, 50/60Hz, 1.2A
- Output: PPS: 3V-15V-3A, 15V-20V-2A, PD3.0: 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-2.25A (Max 45W)

Model No: IN-GN133



POWER DELIVERY
PD TECHNOLOGY

for iOS | ANDROID

GaN Teknoloji PD Hızlı Seyahat Şarj Cihazı

35W Type-C



Teknik Özellikler ■

- ☑ Input: AC 100-240V 50/60Hz
- ☑ Output (Type-C1 - Type-C2): 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-2.25A
- ☑ PPS: 3.3-20V=2A (QC2.0) 5V-3A, 9V-3A, 12V-3A (QC3.0) 12V-3A
- ☑ Output (Type-C1): 5V-3A, 9V-2.5A, 12V-1.87A, 15V-1.5A, 20V-1.12A
- ☑ PPS: 3.3-11V=2.2A (QC1.0) 5V-3A
- ☑ Output (Type-C2): 5V-3A, 9V-2.5A, 12V-1.87A, 15V-1.5A, 20V-1.12A
- ☑ PPS: 3.3-11V=2.2A
- ☑ (Type-C1) + (Type-C2) : 22.5W + 22.5W (35W Max)

Model No: IN-GN137



+ PD POWER DELIVERY
PD TECHNOLOGY


for iOS | ANDROID

Hızlı Seyahat Şarj Cihazı 20W PD



Teknik Özellikler ■

- Model: IN-PD126
- Input: 100V-240VAC, 50-60Hz
- Output: (PDO) 5V-3A, 9V-2.22A, 12V-1.67A (Total 20W)



for iOS | ANDROID

Hızlı Seyahat Şarj Cihazı 25W PD



Teknik Özellikler ■


- Input : 100VAC - 240VAC, 50/60Hz, Max. 0.65A
- Output : USB Type C : 5VDC/3A, 9VDC/2.77A, Max. 25W
- Type C Support Protocol : PD 2.0, PD 3.0
- Product Size : 41.5*26.5*45.5mm

Hızlı Seyahat Şarj Cihazı 20W PD



Teknik Özellikler ■

- Model: IN-PD125
- Input: 100V-240VAC, 50-60Hz
- Output: (PDO) 5V-3A, 9V-2.22A, 12V-1.67A (Total 20W)



for iOS |  ANDROID

Hızlı Seyahat Şarj Cihazı 25W PD



Teknik Özellikler ■


- Model: IN-PD130
- Input : 100VAC - 240VAC, 50/60Hz, Max. 0.65A
- Output : USB Type C : 5VDC/3A, 9VDC/2.77A, Max. 25W
- Type C Support Protocol : PD 2.0, PD 3.0

Hızlı Seyahat Şarj Cihazı QC 3.0



Teknik Özellikler ■

- Input : 100VAC - 240VAC, 50/60Hz, Max. 0.5A
- Output : USB Type A : 5VDC/3A, 9VDC/2A, 12VDC/1.5A Max. 18W
- Type A Support Protocol : Apple 2.4A, BC 1.2, QC 2.0 Class A, QC 3.0 Class A, FCP, AFC, SCP, Low voltage direct charge
- Product Size : 41.5*26.5*45.5mm



for iOS | ANDROID

Seyahat Şarj Cihazı 5V 2.1A USB



Teknik Özellikler ■

- Input : 100VAC - 240VAC, 50/60Hz, Max. 0.5A
- Output : USB Type A : 5VDC/2.1A, Max. 11W
- Product Size : 39*17*39mm

Hızlı Seyahat Şarj Cihazı


25W PD



Teknik Özellikler ■

- Input : 100VAC - 240VAC, 50/60Hz, Max. 0.65A
- Output : USB Type C : 5VDC/3A, 9VDC/2.77A, Max. 25W
- Type C Support Protocol : PD 2.0, PD 3.0
- Product Size : 39*17*39mm

Compatible for



for iOS |  ANDROID

Mini Hızlı Araç Şarj Cihazı

30W PD+QC 3.0



Teknik Özellikler ■

- Type-C1: 5V = 3A, 9V = 3A, 12V = 2.5A (Max PD30W); PPS 3.3 = 11V
- USB-A: 5V = 3A, 9V = 2A, 12V = 1.5A QC 18W

Model No: IN-CC030



for iOS |  ANDROID



 Baęlantı Kablosu

Soft Data & Şarj Kablosu

USB to Lightning



Teknik Özellikler

- USB Type: USB 2.0
- Max Output Current: 2.4A
- Material: TPE
- Length: 1M




Siyah ●
Model No: IN-CLM1027

Kırmızı ●
Model No: IN-CLM1028

Mavi ●
Model No: IN-CLM1029

Mor ●
Model No: IN-CLM1026

Yeşil ●
Model No: IN-CLM1030



for iOS | ANDROID



Soft Data & Şarj Kablosu

USB to Type-C



Teknik Özellikler

- USB Type: USB 2.0
- Max Output Current: 2.4A
- Material: TPE
- Length: 1M



Siyah ●
Model No: IN-CLM1034


Kırmızı ●
Model No: IN-CLM1033

Mavi ●
Model No: IN-CLM1035

Mor ●
Model No: IN-CLM1032

Yeşil ●
Model No: IN-CLM1036

Compatible for



for iOS | ANDROID

Soft Data & Şarj Kablosu

USB to Micro USB



Teknik Özellikler ■

- USB Type: USB 2.0
- Max Output Current: 2.4A
- Material: TPE
- Lenght: 1M



Siyah ●
Model No: IN-CLM1022


Kırmızı ●
Model No: IN-CLM1021

Mavi ●
Model No: IN-CLM1023

Mor ●
Model No: IN-CLM1020

Yeşil ●
Model No: IN-CLM1024

Compatible for



for iOS | ANDROID



Fleet Data & Şarj Kablosu

65W Type-C to Lightning



PD POWER DELIVERY
PD TECHNOLOGY

Teknik Özellikler

- Max Output Current: 6A / 65W
- Material: TPE
- Length: 1M



LIGHTNING



Fast
Charging



Siyah ●
Model No: IN-CLM1042

Gri ●
Model No: IN-CLM1043

Yeşil ●
Model No: IN-CLM1044

Compatible for



Smartphone



Tablet



Powerbank

for iOS | ANDROID

Fleet Data & Şarj Kablosu

2M 65W Type-C to Lightning



+ PD POWER DELIVERY
PD TECHNOLOGY

Teknik Özellikler ■

- Max Output Current: 6A / 65W
- Material: TPE
- Length: 2M



LIGHTNING



Fast
Charging



Siyah ●
Model No: IN-CLM1048

Gri ●
Model No: IN-CLM1049

Compatible for



Smartphone



Tablet



Powerbank

for iOS | ANDROID

Fleet Data & Şarj Kablosu

65W Type-C to Type-C



YENİ
ÜRÜN

+ PD POWER DELIVERY
PD TECHNOLOGY

Teknik Özellikler

- Max Output Current: 6A / 65W
- Material: TPE
- Length: 1M

TYPE-C

Fast
Charging


1M

Siyah ●
Model No: IN-CLM1045

Gri ●
Model No: IN-CLM1046

Yeşil ●
Model No: IN-CLM1047

Compatible for



for iOS | ANDROID



Fleet Data & Şarj Kablosu

2M 65W Type-C to Type-C



PD POWER DELIVERY
PD TECHNOLOGY

Teknik Özellikler ■


- Max Output Current: 6A / 65W
- Material: TPE
- Length: 2M



Siyah ●
Model No: IN-CLM1050

Gri ●
Model No: IN-CLM1051

Compatible for



for iOS | ANDROID

Wing Data & Şarj Kablosu

100W Type-C to Type-C



TD POWER DELIVERY
PD TECHNOLOGY

Teknik Özellikler ■


- Max Output Current: 6A / 100W
- Material: TPE
- Length: 1M



Model No: IN-CLM1041

Gri ●

Compatible for



for iOS | ANDROID



Data & Şarj Kablosu

20W PD Type-C to Lightning / Type-C to Type-C



Teknik Özellikler ■

- Max Output Current: 20W
- Material: TPE
- Length: 1M



Lightning
Model No: IN-CLM1003

Type-C
Model No: IN-CLM1005

Compatible for



for iOS | ANDROID

Data & Şarj Kablosu

45W PD Type-C to Lightning



Teknik Özellikler ■

- Max Output Current: 45W
- Material: Rope Braided Jacket
- Length: 1M

LIGHTNING



Lightning
Model No: IN-CLM1004

Compatible for



for iOS | ANDROID


3 in 1 Data & Şarj Kablosu

USB to Type-C / Micro USB / Lightning




Teknik Özellikler ■

- Max Output Current: 5V/3A
- Material: Nylon Braided Jacket
- Length: 1,5M



Model No: 8046

Compatible for



for iOS | ANDROID



Data & Şarj Kablosu

USB to Lightning / Type-C / Micro USB



Teknik Özellikler ■

- USB Type: USB 2.0
- Max Output Current: 2.4A
- Material: PVC
- Length: 1M




Lightning
Model No: 8039

Type-C
Model No: 8040

Micro USB
Model No: 8038

Compatible for



for iOS |  ANDROID

Data & Şarj Kablosu

2M USB to Lightning / Type-C / Micro USB



Teknik Özellikler ■

- USB Type: USB 2.0
- Max Output Current: 2.4A
- Material: PVC
- Length: 2M




Lightning
Model No: IN-CLM1039


Type-C
Model No: IN-CLM1040

Micro USB
Model No: IN-CLM1038

Compatible for



for iOS |  ANDROID



Bluetooth Hoptarlör



Sound Moon Bluetooth Hoparlör





Teknik Özellikler ■

- Bluetooth Version: 5.0
- Battery Capacity: 1000mAh
- Music Time: 12-14 hours (%80 volume)
- Frequency Response: 120Hz ~18Khz



Siyah ●
Model No: IN-BPS001S

Kırmızı ●
Model No: IN-BPS001S



for iOS | ANDROID


Sound Wave

Bluetooth Hoparlör




Teknik Özellikler ■

- 🔊 Stereo type: Bluetooth speaker
- 🔊 Track system: 1.1 mono
- 🔊 The control mode: Press the key
- 🔊 Bluetooth version: Bluetooth V5.1+EDR
- 🔊 Support Bluetooth profile: A2DP, AVRCP, HSP, HFP
- 🔊 Bluetooth working frequency: 2.402-2.480GHz
- 🔊 Receiving sensitivity: -80dBm
- 🔊 Bluetooth range: $\geq 10M$
- 🔊 Frequency response: 60Hz~20K Hz
- 🔊 Speaker type: 52mm 4 Ω 5W + bass diaphragm
- 🔊 Internal battery: 1200mAh 3.7V
- 🔊 Shutdown storage time: About 1 year
- 🔊 Music time: About 6 hours (pink noise)
- 🔊 Charging time: About 2 hours
- 🔊 The battery cycle life is more than 300 cycles and the capacity is $\geq 80\%$.



Siyah ●
Model No: SOUNDWAVE

Mavi ●
Model No: SOUNDWAVE



for iOS | android



 Ekran Koruyucu

Nano Ekran Koruyucu

Akıllı Telefon / Tablet / Akıllı Saat



	PET release layer 0.05mm
	PET anti-scratch layer 0.02mm
	Nano glass layer 0.19mm
	Silicon glue 0.09mm
	PET release layer 0.04mm

9H 9H HARDNESS
TEMPERED GLASS
3 Times stronger than
PET material

**OLEOPHOBIC NANO
COATING**
Fingerprint, oil and
smudge resistant

**ANTI-SCRATCH &
ANTI-SHATTER**
Made with advanced heat
tempered glass

**MAXIMUM TOUCH
RESPONSIVENESS**
Smooth touch and
unrivaled sensitivity

**HD ULTRA-
CLEARNESS**
Pure transparency and
perfect clarity

**ULTRA-SLIM
TEMPERED GLASS**
Almost invisible layer



SAMSUNG

HUAWEI

xiaomi

NOKIA



LG

TCL

oppo

realme

vivo

Casper

ALCATEL

MOTOROLA

ZTE

3D Ekran Koruyucu

Akıllı Telefon



9H 9H HARDNESS
TEMPERED GLASS
3 Times stronger than
PET material

**ANTI-SCRATCH &
ANTI-SHATTER**
Made with advanced heat
tempered glass

**HD ULTRA-
CLEARNESS**
Pure transparency and
perfect clarity

**OLEOPHOBIC NANO
COATING**
Fingerprint, oil and
smudge resistant

**MAXIMUM TOUCH
RESPONSIVENESS**
Smooth touch and
unrivaled sensitivity

**ULTRA-SLIM
TEMPERED GLASS**
Almost invisible layer




3D Privacy Ekran Koruyucu

Akıllı Telefon



60° OF VISIBILITY



9H 9H HARDNESS
TEMPERED GLASS
3 Times stronger than
PET material

**ANTI-SCRATCH &
ANTI-SHATTER**
Made with advanced heat
tempered glass

**HD ULTRA-
CLEARNESS**
Pure transparency and
perfect clarity

**OLEOPHOBIC NANO
COATING**
Fingerprint, oil and
smudge resistant

**MAXIMUM TOUCH
RESPONSIVENESS**
Smooth touch and
unrivaled sensitivity

**ULTRA-SLIM
TEMPERED GLASS**
Almost invisible layer

Apple SAMSUNG HUAWEI xiaomi NOKIA
reeder LG TCL oppo realme
vivo Casper ALCATEL MOTOROLA ZTE

Strong Pro+ Ekran Koruyucu

Akıllı Telefon



9H 9H HARDNESS
TEMPERED GLASS
3 Times stronger than
PET material

**ANTI-SCRATCH &
ANTI-SHATTER**
Made with advanced heat
tempered glass

**HD ULTRA-
CLEARNESS**
Pure transparency and
perfect clarity

**OLEOPHOBIC NANO
COATING**
Fingerprint, oil and
smudge resistant


**MAXIMUM TOUCH
RESPONSIVENESS**
Smooth touch and
unrivaled sensitivity

**ULTRA-SLIM
TEMPERED GLASS**
Almost invisible layer

High Resistance



Diamond Ekstra Güçlendirilmiş Ekran Koruyucu Akıllı Telefon (Iphone)



9H 9H HARDNESS
TEMPERED GLASS
3 Times stronger than
PET material

**ANTI-SCRATCH &
ANTI-SHATTER**
Made with advanced heat
tempered glass

**HD ULTRA-
CLEARNESS**
Pure transparency and
perfect clarity

High Resistance



**OLEOPHOBIC NANO
COATING**
Fingerprint, oil and
smudge resistant

**MAXIMUM TOUCH
RESPONSIVENESS**
Smooth touch and
unrivaled sensitivity

**ULTRA-SLIM
TEMPERED GLASS**
Almost invisible layer

Aktek Aksesuar Teknoloji. San. Tic. A.Ş.

Merkez:

📍 Oruç Reis Mah. Tekstil Kent Tic. Mrk.
A11 Blok No: 26 Esenler / İstanbul
☎ 0 (212) 234 67 67

Fabrika:

📍 Menemen Plastik İhtisas Org. San. Bölğ.
Atatürk Plastik OSB Mah. 7. Cad. No:18
Menemen / İZMİR
☎ 0 (232) 655 23 23

🌐 www.intouch.com.tr
www.aktekteknoloji.com

